



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



High Speed Automatic Tablet Press



- **GZP**
 - 265
 - 370
- **GZPD 560**
- **GZPS 720**
- **GZPT 1060**

*High
Pressure,
High
Accuracy
and High
Speed!*

Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



GZP-370



- PLC control with auto protective features
- Intuitive touch screen operation
- Force-feed device controls the flow of powder and insures feeding accuracy
- Central auto lubrication system
- Main & pre-press stations
- Auto compensation for powder changes
- HMI display monitors each individual punch pressure
- Auto segregation of defective tablets
- Force-feed system prevents segregation of disparate granule sizes
- Designed for easy disassembly and cleaning

370mm Ø turret	GZP-26	GZP-32	GZP-40
Number of Stations	26	32	40
Tooling Size	D	B	BB
Output (Tablets/hr.)	34,000-171,000	42,000-211,000	52,000-264,000
RPM	22-110	22-110	22-110
Main Pressure	100 KN (11 tons)	100 KN (11 tons)	100 KN (11 tons)
Pre Pressure	16 KN (1.8 tons)	16 KN (1.8 tons)	16 KN (1.8 tons)
Max Tablet Diameter	Ø25mm	Ø16mm	Ø13mm
Max Length of Irregular Tablet	25mm	19mm	16mm
Diameter of Die	Ø38.1mm	Ø30.16mm	Ø24mm
Max Filling Depth	20mm	20mm	16mm
Diameter of Punch	Ø25.35mm	Ø19mm	Ø19mm
Length of Punch	133.6mm	133.6mm	133.6mm
Turret Diameter	370mm	370mm	370mm
Main Motor Power	7.5 kW(10HP)	7.5 kW(10HP)	7.5 kW(10HP)
Net Weight	1,600 kg (3,527 lbs.)	1,600 kg (3,527 lbs.)	1,600 kg (3,527 lbs.)
Dimensions (L x W x H)	820 x 1,100 x 1,750mm 32"x 43"x 69"	820 x 1,100 x 1,750mm 32"x 43"x 69"	820 x 1,100 x 1,750mm 32"x 43"x 69"

Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



GZP -265



265mm Ø turret	GZP-16	GZP-23	GZP-30
Number of Stations	16	23	30
Tooling Size	D	B	BB
Output (Tablets/hr.)	21,000-105,000	30,000-151,000	39,000-198,000
RPM	22-110	22-110	22-110
Main Pressure	100 KN (11 tons)	100 KN (11 tons)	100 KN (11 tons)
Pre Pressure	14 KN (1.5 tons)	14 KN (1.5 tons)	14 KN (1.5 tons)
Max Tablet Diameter	Ø25mm	Ø16mm	Ø13mm
Max Length of Irregular Tablet	25mm	19mm	16mm
Diameter of Die	Ø38.1mm	Ø30.16mm	Ø24mm
Max Filling Depth	20mm	20mm	16mm
Diameter of Punch	Ø25.35mm	Ø19mm	Ø19mm
Length of Punch	133.6mm	133.6mm	133.6mm
Turret Diameter	265mm	265mm	265mm
Main Motor Power	5.5 kW(7.5HP)	5.5 kW(7.5HP)	5.5 kW(7.5HP)
Net Weight	1,200 kg (2,645 lbs.)	1,200 kg (2,645 lbs.)	1,200 kg (2,645 lbs.)
Dimensions (L x W x H)	700 x 1,000 x 1,750mm 28"x 39"x69"	700 x 1,000 x 1,750mm 28"x 39"x69"	700 x 1,000 x 1,750mm 28"x 39"x69"

Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



GZPS-720



- Meets cGMP requirements
- Capable of pressing
 - Two Layer Tablets
 - Annular Tablets
 - Round Tablets
 - Engraved Tablets
 - Irregular Tablets
- Same size main press and pre-press rollers
- 10" touch screen w/automatic controls (no hand wheels)
- Stand-alone control cabinet
- 3 Impeller feeding system
 - Upper impeller fluidizes powder
 - Two lower impellers are used to fill and dose

720 mm Ø turret	GZPS-51	GZPS-65	GZPS-83	GZPS-89	GZPS-101
Tooling	D	B	BB	BBS	HLS14
Number of Stations	51	65	83	89	101
Output Range (Tablets/hr.)	47k-470k	62.4k-624k	70k-700k	79.6k-796k	96.6k-969k
Rotation Speed Range	8-80 rpm	8-80 rpm	8-80 rpm	8-80 rpm	8-80 rpm
Main Pressure	100KN	100KN	100KN	100KN	100KN
Pre Pressure	100KN	100KN	100KN	100KN	100KN
Max Tablet Diameter	Ø 25mm	Ø16mm	Ø13mm	Ø13mm	Ø13mm
Max Length of Irregular Tablets	25mm	19mm	16mm	16mm	16mm
Diameter of Die	Ø38.1mm	Ø30.16mm	Ø24mm	Ø24mm	Ø24mm
Max. Filling Depth	20mm	18mm	18mm	18mm	18mm
Main Motor Power	11kW (14.75 hp.)	11kW (14.75 hp.)	11kW (14.75 hp.)	11kW (14.75 hp.)	11kW (14.75 hp.)
Diameter of Punch	25.35mm	19mm	19mm	19mm	19mm
Weight	5,500kg (12,125 lbs.)	5,500kg (12,125 lbs.)	5,500kg (12,125 lbs.)	5,500kg (12,125 lbs.)	5,500kg (12,125 lbs.)
Dimensions (L x W x H)	1,300x1,300x2,000mm 51" x 51" x 79"	1,300x1,300x2,000mm 51" x 51" x 79"	1,300x1,300x2,000mm 51" x 51" x 79"	1,300x1,300x2,000mm 51" x 51" x 79"	1,300x1,300x2,000mm 51" x 51" x 79"
Dimension of Control Cabinet (L x W x H)	890 x 510 x 1,200 mm 35" x 20" x 47"	890 x 510 x 1,200 mm 35" x 20" x 47"	890 x 510 x 1,200 mm 35" x 20" x 47"	890 x 510 x 1,200 mm 35" x 20" x 47"	890 x 510 x 1,200 mm 35" x 20" x 47"

Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



GZPD-560



- 3-Roller technology provides a new solution for pressing two layer tablets
- All 3 rollers capable of pressing 100KN of pressure
- Interchangeable turret
- Vertical powder feeding and large diameter hopper
- Precise, servo controlled press rollers
- Stand-alone control cabinet
- Electronic records and electronic signatures

560 mm Ø turret	GZPD-41	GZPD-51	GZPD-61	GZPD-79
Number of Stations	41	51	61	79
Tooling	D	B	BB	HLS14
Output Range (Tablets/hr.)	22k-221k	27.5k-275k	33k-330k	42.6k-426k
Rotation Speed Range	9-90 RPM	9-90 RPM	9-90 RPM	9-90 RPM
1st Station Pressure	100KN	100KN	100KN	25KN
2nd Station Pressure	100KN	100KN	100KN	25KN
3rd Station Pressure	100KN	100KN	100KN	25KN
Max Tablet Diameter	Ø25mm	Ø16mm	Ø13mm	Ø10mm
Max Length of Irregular Tablets	25mm	19mm	16mm	11mm
Max Filling Depth/First Layer	20mm	18mm	18mm	18mm
Max Filling Depth/Second Layer	6-8mm	6-8mm	6-8mm	6-8mm
Max. Tablet Thickness	12mm	12mm	12mm	12mm
Weight	4,000 KG (8,820 lbs.)	4,000 KG (8,820 lbs.)	4,000 KG (8,820 lbs.)	4,000 KG (8,820 lbs.)
Dimensions mm (L x W x H)	1,180 x 1,180 x 2,035 46" x 46" x 80"	1,180 x 1,180 x 2,035 46" x 46" x 80"	1,180 x 1,180 x 2,035 46" x 46" x 80"	1,180 x 1,180 x 2,035 46" x 46" x 80"
Dimension of Control Cabinet (L x W x H)	890 x 510 x 1,200 mm 35" x 20" x 47"	890 x 510 x 1200 mm 35" x 20" x 47"	890 x 510 x 1200 mm 35" x 20" x 47"	890 x 510 x 1200 mm 35" x 20" x 47"

Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



GZPT 1060



- Large scale machine
- Capable of 1, 2 and 3 layer tablets
- Punch force over limit alarm
- Pre-pressure and main pressure rollers capable of 100kN of pressure
- No hand wheel control
- Stand-alone control cabinet
- Overweight and underweight tablet rejection

1060mm Ø turret	GZPT-76	GZPT-95	GZPT-113	GZPT-122
Number of stations	76	95	113	122
Tooling	D	B	BB	BBS
Max Tablet Output/hr.	697,000	872,000	1,037,000	1,500,000
Rotation Speed Range	5-51	5-51	5-51	6.8-68
Main Pressure	100KN	100KN	100KN	100KN
Pre-Pressure	100KN	100KN	100KN	100KN
Max Tablet Diameter	25mm	16mm	13mm	11mm
Max Length of Irregular Tablets	25mm	19mm	16mm	13mm
Max Filling Depth	20mm	20mm	16mm	16mm
Max Tablet Thickness	10mm	10mm	8mm	8mm
Diameter of Punch	25.23mm	19mm	19mm	19mm
Main Motor Power	18.5 kW (24.8hp)	18.5 kW (24.8hp)	18.5 kW (24.8hp)	18.5 kW (24.8hp)
Weight	8,000 KG (17,637 lbs.)	8,000 KG (17,637 lbs.)	8,000 KG (17,637 lbs.)	8,000 KG (17,637 lbs.)
Dimensions mm	1,720 x 1,720 x 2,182 68" x 68" x 86"	1,720 x 1,720 x 2,182 68" x 68" x 86"	1,720 x 1,720 x 2,182 68" x 68" x 86"	1,720 x 1,720 x 2,182 68" x 68" x 86"

Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



CZG100/16A



- 16 counting channels
- 6-step electromagnetic vibrator
- Infrared dynamic scan technology
- Incorrect count, bottle rejection
- Easy to disassemble and clean
- 304 Stainless Steel construction

Dimension	1,160 x 1,710 x 1,800 mm 45" x 67" x 71"
Speed up to (tablets/min)	0-6000
Net Weight	700 kg (1,543 lbs.)
Filling Quantities Per Bottle	8-9,999
Tablet Specifications	Thickness 3-10mm Diameter 3-15mm Length 3-25 mm
Number of Channels	2 X 8
Bottle Size	Diameter 30-75 Height 40-250mm
Hopper Cubage	2 x 20L
Compressed Air Required	0.5 Mpa
Electrical requirements	220vac/1ph/60hz
Conveyor Length	2,400 (95")
Number of Vibrators	6

GLP 800 Bottle Unscrambler



LP 700A Bottle Unscrambler



Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229
www.drpharm-usa.com



Engineering, Integration,
Manufacturing and
Exclusive Provider of
Dr. Pharm Equipment
in the USA
DENVER

Dr. Pharm USA

866.778.7826

Global Equipment
Supplier to the
Pharmaceutical and
Supplement
Industries
BEIJING



**Providing Equipment Sales, Service and Engineering Support
for the Food, Beverage, Supplement and Pharmaceutical Industries**

Denver CO

(866)778-7826

**Right Stuff Equipment
1605 E. 69th Ave.
Denver, CO 80229**

www.drpharm-usa.com